



**PETREL GLOBAL SHIPS
& BOATS TRADING LLC**

Office 621, 6th Floor Block A, Business Village,
Port-Saeed Deira, Dubai UAE
www.petrel-global.com., tel.: +971 52 821 6411

Riva 76' PERSEO SUPER





"A journey with my 76' Perseo Super"
Egadi Islands, Sicily, Italy




























































TECHNICAL SHEET

Preliminary

Motorization 2 * MAN 12V 1550 POWER 1550 mhp / 1140 kW at 2300 rpm
 2 * MAN 12V 1800 POWER 1800 mhp / 1324 kW at 2300 rpm (opt)


	MAN 1550	MAN 1800
Speed Maximum speed.....knots	32	37
Cruising speed.....knots	28	32
Range Maximum speed.....n.m.	295	295
prediction data Cruising speed.....n.m.	315	315
Main sizes Loa = Overall length (standard ISO 8666).....	23,25 m. - 76 ft. 3 in.	
Lh = Hull length (standard ISO 8666).....	22,67 m. - 74 ft. 5 in.	
Lwl = Waterline length (boat fully laden)	19,57 m. - 64 ft. 2 in.	
Maximum beam.....	5,75 m. - 18 ft. 10 in.	
Depth under propellers (boat fully laden).....	1,90 m. - 6 ft. 3 in.	
Displacement unladen.....	52,30 t. - 115302 lbs.	
Displacement laden.....	60,50 t. - 133380 lbs.	
Maximum number of persons on board.....	16	
Design category Directive 2013/53/EU.....	A	
Certification modules.....	B + F + Aa (sound emission) RINA S.p.A.	
Technical data Hull type: 13,8° deadrise warped hull with spray rails		
H = Overall height from keel to top roof.....	7,00 m. - 23 ft. 0 in.	
Ht = Minimum transport height from keel.....	5,60 m. - 18 ft. 4 in.	
P = Pulpit and stern platform.....	0,58 m. - 1 ft. 11 in.	
Fuel tank capacity.....	5600 lt. - 1479 US gals.	
Water tanks capacity.....	840 lt. - 222 US gals.	
Performance The performance is estimated at the following conditions standard version displacement of the yacht, at 1/3 of load, clean hull, 25°C air temperature, good weather conditions, 6 persons on board	54,75 t. - 120699 lbs.	
Overloading the yacht by.....	0,50 t. - 1102 lbs.	
Top speed decreases of.....	1 knot	



Profile



Top view



Main deck



Lower deck



Main deck OPT



Lower deck OPT

ADDITIONAL OPTIONS LIST

Engines 2 x MAN 12V – 1800Hp (diff. 2 x MAN 12V 1550hp)
Custom Internal Timber for 4 cabins + 4 heads layout
Rosewood 100 Gloss
Layout: 4 cabins + 4 heads
Marble: Invisible Grey for all bathrooms
Painted metallic colour (colour to be defined among Riva colors)
Custom piping for external upholsteries in Potomak colour
Main deck salon: electric opening skylight in forward ceiling
Carpeted floor: Moquette Eros col. Ice no charge
Super tropical air conditioning
19 kw second generator (additional)
Generator battery charger (2) (version with upgraded a/c or two generators)
Gyroscopic stabilizer (1)
Electric stern thruster
Cockpit: portside control station with bow and stern thruster control
Standard Sun deck: second control station (including painting) included *
Cockpit: electric hi-low table with natural teak top
Aft area: gloss 100 mahogany wood finishing for stern
portside and STBD rubrail with stainless steel details
Sole leather top with stainless steel finishing in main deck and lower deck
Dining chairs: Frag model Linda, upholstery model Sole color
AIS system (A class)
Corian Dupont colour Light Ash
Upholstery: Fabric Gentili&Mosconi Brezza color 18
Light lacquerings: Ice White Dolce vita Matt finishing
Dark lacquerings: Black RAL9004 Matt finishing
Marble Invisible Grey for all bathrooms, different than standard Corian
As per Riva Standard selection
Socovena&Mapla River colour Adda with Potomak colour piping
Light sole leather: Ice White color with ton sur ton stitchings
Dark sole leather: Black color with ton sur ton stitchings
Upholstery: Fabric Gentili&Mosconi Brezza color 18
As per Riva Standard selection
Frag model Linda, upholstery model Sole color 24-S400
USB outlets type A + C in lower deck (9 in total: 2 in each cabin + 2 in salon + in 1 in helm station)
Foredeck dinette: manual concealed bimini top
Premium internet package (Coastal 4G and WI-FI bridge)
Premium Sound for external areas with top quality loudspeakers and independent Airplay in foredeck, cockpit and sundeck (diff.) - Sonance brand

Underwater lights (2) on transom White light
Side underwater lights (2 per each side) White light
Dimmer switch for internal and external lighting (excluding crew areas, equipment areas, navigation lights, service lights, courtesy lights, bathrooms and galley)
Electric curtains (excluding black-out blinds, curtains in galley, crew area and bathrooms, main entrance door's curtain)
Electric black-out blinds for the whole boat (excluding crew area and bathrooms)
50" TV in salon (diff. 40")
50" TV in Master cabin (diff. 40")
24" TV in VIP cabin
24" TV in starboard Guest cabin
24" TV in portside Guest cabin
International CI receiver in VIP cabin (to be combined with KVH TV6 sat TV antenna)
International CI receiver in starboard Guest cabin (to be combined with KVH TV6 sat TV antenna)
International CI receiver in portside Guest cabin (to be combined with KVH TV6 sat TV antenna)
Sundeck - 1 x 16" additional display
Main bridge - 3 x 19" display upgrade (diff. than 3 x 16")
KVH TV6 satellite TV antenna with dome (2) and CI receiver in salon and Master cabin
Meteo station
Stainless steel protections for lateral cleats
Aft cleats (2) for tender's mooring
180 l/h water maker with remote control
Cockpit: manual bimini with carbon fiber poles (2) and canopy (1) for aft sofa
Cockpit: privacy shade/panel for aft sofa (to be selected together with OPT14289)
Foredeck: manual bimini with carbon fibre poles (6) and canopy (2) for fore sofa
Sundeck: manual awning with carbon fiber poles (2) and canopy (1)
Launch system for tender Williams 325 SportJet (system with sledge + electric winch)
Preparation for backlit boat name



**PETREL GLOBAL SHIPS
& BOATS TRADING LLC**

Office 621, 6th Floor Block A, Business Village,
Port-Saeed Deira, Dubai UAE
www.petrel-global.com., tel.: +971 52 821 6411