



**PETREL GLOBAL SHIPS
& BOATS TRADING LLC**


Office 621, 6th Floor Block A, Business Village,
Port-Saeed Deira, Dubai UAE
www.petrel-global.com., tel.: +971 52 821 6411

Riva Aquariva Super





























Profile



Main deck



Lower deck

TECHNICAL SHEET

Motorization 2 * YANMAR 8LV - 370 - power 370 mhp / 272 kW at 3800 rpm
+ ZF 2 shifts gearbox

Speed Maximum speed.....knots 41,5
Cruising speed.....knots 36

Range Maximum speed.....n.m. 135
prediction data Cruising speed.....n.m. 155

Main sizes Loa = Overall length (standard ISO 8666) 10,07 m. - 33 ft. 0 in.
Lh = Hull length (standard ISO 8666)..... 9,92 m. - 32 ft. 7 in.
Lwl = Waterline length (boat fully laden)..... 8,40 m. - 27 ft. 7 in.
Maximum beam..... 2,80 m. - 9 ft. 2 in.
Depth under propellers (boat fully laden)..... 0,96 m. - 3 ft. 2 in.
Displacement unladen 5,25 t. - 11574 lbs.
Displacement laden..... 6,60 t. - 14551 lbs.
Maximum number of persons on board..... 8
Design category Directive 2013/53/EU B
Certification modules..... B + C + Ad (sound emission)
RINA S.p.A.

Technical data Hull type: 16,5° deadrise Monohedron hull with spray rails
H = Overall heigth from keel to windscreen..... 2,01 m. - 6 ft. 7 in.
Ht = Minimum transport heigth from keel..... 2,01 m. - 6 ft. 7 in.
P1 = Pulpit..... 0,02 m. - 0 ft. 1 in.
P2 = Platform connected to the hull..... 0,13 m. - 0 ft. 5 in.
Fuel tank capacity..... 480 lt. - 127 US gals.
Water tanks capacity 130 lt. - 34 US gals.

Performance specifications The performance is estimated at the following conditions: 5,92 t. - 13044 lbs.
standard version displacement of the yacht, at half
liquid load,clean hull, 25°C air temperature,
good weather conditions, 4 persons on board.
Overloading the yacht by 0,35 t. - 772 lbs.
Top speed decreases of 1 knot



**PETREL GLOBAL SHIPS
& BOATS TRADING LLC**

Office 621, 6th Floor Block A, Business Village.
Port-Saeed Deira, Dubai UAE
www.petrel-global.com., tel.: +971 52 821 6411